

October 11, 2019

Bobby Purvis
Daphne Utilities Wastewater Dept.
29280 N. Main St
Daphne, AL 36526

RE: Project: Bay Testing
Pace Project No.: 20125092

Dear Bobby Purvis:

Enclosed are the analytical results for sample(s) received by the laboratory on October 09, 2019. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Mary Kathryn Brenner
marykathryn.brenner@pacelabs.com
251-344-9106
Project Manager

Enclosures

cc: Ashley Campbell, City of Daphne
Johnny Grimes, Daphne Utilities



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: Bay Testing

Pace Project No.: 20125092

Mobile Certification IDs

4320 Midmost Drive, Mobile, AL 36609

Alabama Certification #: 40810

Florida Certification #: E87977

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: Bay Testing
Pace Project No.: 20125092

Lab ID	Sample ID	Matrix	Date Collected	Date Received
20125092001	Lake Forest Yacht Club	Water	10/09/19 11:25	10/09/19 12:20

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Bay Testing
Pace Project No.: 20125092

Lab ID	Sample ID	Method	Analysts	Analytes Reported
20125092001	Lake Forest Yacht Club	Enterolert/Quanti-Tray	SLW	1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Bay Testing

Pace Project No.: 20125092

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Sample: Lake Forest Yacht Club Lab ID: 20125092001 Collected: 10/09/19 11:25 Received: 10/09/19 12:20 Matrix: Water								
MOB Enterolert/Quanti-Tray Analytical Method: Enterolert/Quanti-Tray Preparation Method: Enterolert/Quanti-Tray								
Enterococci	20.0	MPN/100mL	10.0	10	10/09/19 17:00	10/10/19 17:00		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Bay Testing

Pace Project No.: 20125092

QC Batch: 160623

Analysis Method: Enterolert/Quanti-Tray

QC Batch Method: Enterolert/Quanti-Tray

Analysis Description: MOB Enterolert/Quanti-Tray

Associated Lab Samples: 20125092001

METHOD BLANK: 722092

Matrix: Water

Associated Lab Samples: 20125092001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Enterococci	MPN/100mL	ND	1.0	10/10/19 17:00	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: Bay Testing

Pace Project No.: 20125092

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The Nelac Institute

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Bay Testing

Pace Project No.: 20125092

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
20125092001	Lake Forest Yacht Club	Enterolert/Quanti-Tray	160623	Enterolert/Quanti-Tray	160624

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CHAIN-OF-CUSTODY / Analytical Request Document

WO#: 20125092

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields mu



20125092

Section A
Required Client Information:
 Company: Daphne Utilities Wastewater Dept
 Address: P.O. Box 2550
 Daphne, AL 36526
 Email: sharon@daphneutilities.com
 Phone: (251)380-8561
 Requested Due Date:

Section B
Required Project Information:
 Report To: Sharon Surra
 Copy To:
 Purchase Order #: Bay Sampling
 Project Name:
 Project #:

Section C
Invoice Information:
 Attention:
 Company Name:
 Address:
 Pace Quote:
 Pace Project Manager: marykathryn.brenner@pacelabs.com
 Pace Profile #: 9456

State / Location: AL

ITEM #	MATRIX	CODE	COLLECTED		SAMPLE TYPE (G=GRAB C=COMP)	MATRIX CODE (see valid codes to left)	# OF CONTAINERS	PRESERVATIVES				ANALYSES TEST Y/N	ENTER QT	RESIDUAL CHLORINE (Y/N)
			START DATE	END DATE				H2SO4	HNO3	HCl	NaOH			
1	Drinking Water	DW	10.9.19		WT									
2	Waste Water	WW	10.9.19	1125	WT									
3	Product	P			WT									
4	Sol-Solid	SS												
5	Oil	OL												
6	Wipe	WP												
7	Air	AR												
8	Other	OT												
9	Tissue	TS												

ADDITIONAL COMMENTS
 B.S.D. 10.9.19 1220 Gyrus What

RELINQUISHED BY / AFFILIATION
 DATE: 10.9.19 TIME: 1220

ACCEPTED BY / AFFILIATION
 DATE: 10.9.19 TIME: 1220

SAMPLE CONDITIONS
 Received on: 10.9.19
 Ice (Y/N):
 Sealed (Y/N):
 Cooler (Y/N):
 Custody (Y/N):
 Samples Intact (Y/N):

SAMPLER NAME AND SIGNATURE
 PRINT Name of SAMPLER: Branley Shipp Daaman
 SIGNATURE of SAMPLER: [Signature]
 DATE Signed: 10.9.19

