

April 07, 2020

Bobby Purvis
Daphne Utilities Wastewater Dept.
29280 N. Main St
Daphne, AL 36526

RE: Project: Bay Sampling 4/6/2020
Pace Project No.: 20149369

Dear Bobby Purvis:

Enclosed are the analytical results for sample(s) received by the laboratory on April 06, 2020. The results relate only to the samples included in this report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Mobile Labs

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Mary Kathryn Brenner
marykathryn.brenner@pacelabs.com
251-344-9106
Project Manager

Enclosures

cc: Ashley Campbell, City of Daphne
Johnny Grimes, Daphne Utilities

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: Bay Sampling 4/6/2020

Pace Project No.: 20149369

Pace Analytical Services Mobile

4320 Midmost Drive, Mobile, AL 36609

Alabama Certification #: 40810

Florida Certification #: E87977

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: Bay Sampling 4/6/2020
Pace Project No.: 20149369

Lab ID	Sample ID	Matrix	Date Collected	Date Received
20149369001	Bayfront Park	Water	04/06/20 08:10	04/06/20 12:00
20149369002	Lake Forest Yacht Club	Water	04/06/20 08:22	04/06/20 12:00
20149369003	Stedman's Landing	Water	04/06/20 08:50	04/06/20 12:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Bay Sampling 4/6/2020

Pace Project No.: 20149369

Lab ID	Sample ID	Method	Analysts	Analytes Reported
20149369001	Bayfront Park	Enterolert/Quanti-Tray	PP1	1
20149369002	Lake Forest Yacht Club	Enterolert/Quanti-Tray	PP1	1
20149369003	Stedman's Landing	Enterolert/Quanti-Tray	PP1	1

PASI-MO = Pace Analytical Services - Mobile Labs

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Bay Sampling 4/6/2020

Pace Project No.: 20149369

Sample: Bayfront Park		Lab ID: 20149369001	Collected: 04/06/20 08:10	Received: 04/06/20 12:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
MOB Enterolert/Quanti-Tray								
Analytical Method: Enterolert/Quanti-Tray Preparation Method: Enterolert/Quanti-Tray Pace Analytical Services - Mobile Labs								
Enterococci	ND	MPN/100mL	10.0	10	04/06/20 14:28	04/07/20 14:30		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Bay Sampling 4/6/2020

Pace Project No.: 20149369

Sample: Lake Forest Yacht Club		Lab ID: 20149369002	Collected: 04/06/20 08:22	Received: 04/06/20 12:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
MOB Enterolert/Quanti-Tray								
Analytical Method: Enterolert/Quanti-Tray Preparation Method: Enterolert/Quanti-Tray								
Pace Analytical Services - Mobile Labs								
Enterococci	10.0	MPN/100mL	10.0	10	04/06/20 14:28	04/07/20 14:30		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Bay Sampling 4/6/2020

Pace Project No.: 20149369

Sample: Stedman's Landing		Lab ID: 20149369003	Collected: 04/06/20 08:50	Received: 04/06/20 12:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
MOB Enterolert/Quanti-Tray								
Analytical Method: Enterolert/Quanti-Tray Preparation Method: Enterolert/Quanti-Tray								
Pace Analytical Services - Mobile Labs								
Enterococci	754	MPN/100mL	10.0	10	04/06/20 14:28	04/07/20 14:30		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Bay Sampling 4/6/2020

Pace Project No.: 20149369

QC Batch:	181335	Analysis Method:	Enterolert/Quanti-Tray
QC Batch Method:	Enterolert/Quanti-Tray	Analysis Description:	MOB Enterolert/Quanti-Tray
		Laboratory:	Pace Analytical Services - Mobile Labs

Associated Lab Samples: 20149369001, 20149369002, 20149369003

METHOD BLANK: 830360 Matrix: Water

Associated Lab Samples: 20149369001, 20149369002, 20149369003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Enterococci	MPN/100mL	ND	1.0	04/07/20 14:30	N2

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: Bay Sampling 4/6/2020

Pace Project No.: 20149369

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

ANALYTE QUALIFIERS

N2 The lab does not hold NELAC/TNI accreditation for this parameter but other accreditations/certifications may apply. A complete list of accreditations/certifications is available upon request.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Bay Sampling 4/6/2020

Pace Project No.: 20149369

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
20149369001	Bayfront Park	Enterolert/Quanti-Tray	181335	Enterolert/Quanti-Tray	181392
20149369002	Lake Forest Yacht Club	Enterolert/Quanti-Tray	181335	Enterolert/Quanti-Tray	181392
20149369003	Stedman's Landing	Enterolert/Quanti-Tray	181335	Enterolert/Quanti-Tray	181392

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Section A
Required Client Information:

Company: Daphne Utilities Wastewater Dept.
Address: P.O. Box 2550
Daphne, AL 36526
Email: sharon@daphneutilities.com
Phone: (251)380-8561
Requested Date:

Section B
Required Project Information:

Report To: Sharon Surra
Copy To:
Purchase Order #:
Project Name: Bay Sampling
Project #:

Section C
Invoice Information:

Attention:
Company Name:
Address:
Pace Quote:
Pace Project Manager: marykathryn.brenner@pacelabs.com
Pace Profile #: 9456

CHAIN-OF-CUSTODY / Analytical Request Doc
The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must

WO# : 20149369
20149369

Regulatory Agency

State / Location

AL

ITEM #	SAMPLE ID (A-Z, 0-9 / , -) Sample IDs must be unique	MATRIX	CODE	COLLECTED		SAMPLE TEMP AT COLLECTION	PRESERVATIVES							Analyses Test	Y/N	Requester Analysis Filtered (Y/N)	Residual Chlorine (Y/N)	SAMPLE CONDITIONS
				START DATE	END DATE		Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol					
1	Bayfront Park	Dinking Water	DW															
2	Lake Forest Yacht Club	Waste Water	WW															
3	Stedman's Landing	Product	P	4/6/20	0822													
4		Oil	OL	4/6/20	0556													
5		Wipes	WP															
6		Air	AR															
7		Other	OT															
8		Tissue	TS															
9																		
10																		
11																		
12																		

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER: Brandy D. Williams

SIGNATURE of SAMPLER: [Signature]

DATE Signed: 4.6.20

TEMP in C: 39

Received on Ice (Y/N): Y

Custody Sealed Cooler (Y/N): N

Samples Intact (Y/N): Y



4320 Midmost Dr Mobile AL 36609

Project

MO#: 20149369

PM: MKB
 CLIENT: MO-Daphne
 Due Date: 04/15/20

Sample Condition Upon Receipt

Courier: Pace Client Fedex UPS Other Tracking # _____
 Custody Seal on Cooler/Box Present: [see COC] Yes No
 Custody Seals Intact: Yes No

Thermometer Used: Therm Fisher IR 001 Other

Type of Ice: Wet Blue None

Samples on ice: [see COC]

Cooler Temperature: [see COC]

Date and Initials of person examining contents: 4/6/2020 KAL

1	Temperature Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
2	Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
3	Chain of Custody Complete:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
4	Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
5	Sampler Name on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
6	Short Hold Time Analyses (<72 hr):	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
7	Rush Turn Around Requested:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
8	Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
9	Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
10	Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
11	Filtered vol. Rec. for Diss. tests	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
12	Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
13	All containers received within manufacturer's precautionary and/or expiration dates:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
14	All containers needing chemical preservation have been checked (except VOA, micro, & O&G):	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
15	All containers preservation checked found to be in compliance with EPA recommendation:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
16	Headspace in VOA Vials (>5mm):	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
17	Trip Blank Present:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Client Notification/Resolution:
 Person Contacted:
 Date/Time:

Comments/ Resolution: